

Jubilee line train graphics standard

Issue 4

1996 Tube stock

Contents

Foreword

1 Basic elements

2 Car interior notices

3 Car exterior notices

Further information

Foreword

This document details all interior and exterior notices that are to be applied to the London Underground Jubilee line fleet (96 Tube stock). Locations for the notices are also provided.

Approved artwork for each notice shown is available from the TfL Graphics team (corporatedesign@tfl.gov.uk). No other artwork is to be used.

Note

This document does not detail any driver cab notices.

Any changes to this document that affect the labelling on the vehicles will require a Change to Rolling Stock (CRS) to be raised, unless stated otherwise.

For further information, See S2I80 'Standard for Rolling Stock' section A3.4.1, guidance document G1100 and forms F5715 and F5716 f, and contact the Head of Rolling Stock Document Review (SMBHoRSDocumentRevie@tfl.gov.uk).

I Basic elements

This section outlines the basic elements that are used to produce graphic notices for the London Underground fleet. This includes the use of the corporate typeface and colours.

For further information, see the design standards at tfl.gov.uk/corporatedesign

I.1 Typography

Our typeface is Johnston, which should be set in mixed upper and lower case.

New Johnston (NJ Font) Medium is the only typeface that should be used for train notices unless it is specifically stated otherwise.

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

1234567890£/.,“()::;

New Johnston Medium

1.2 Colours

These colours should be used on the London Underground fleet to produce graphic notices.

The Pantone Matching System (PMS) is to be used for print purposes.

Corporate Blue

Pantone 072

Corporate Red

Pantone 485

Black

Black 100%

Safety Yellow

Pantone 116

Safety Green

Pantone 356

Safety Blue

Pantone 300

2 Car interior notices

The following pages illustrate the graphic notices to be applied to the Jubilee line car interiors (96 Tube stock).

2.1 Priority seat

Artwork reference

LUTV_INT_00002

Size

100 x 140mm

Position reference

A

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA



2.2 Obstructing doors/penalty fares (amount not shown)

Artwork reference

LUTV_INT_00004

Size

500 x 50mm

Position reference

B

Colours

- Corporate Blue (Pantone 072)
- Safety Yellow (Pantone 116)
- Black 100%

Material type

Interior permanent

Part number

00205/8627



**Obstructing the doors
can be dangerous**

Penalty fare or prosecution

if you fail to show on demand a ticket, validated smartcard
or other travel authority valid for the whole of your journey

2.3 Items trapped in doors

Artwork reference

LUTV_INT_00038

Size

74 x 265mm

Position reference

C

Colours

- Safety Yellow (Pantone 116)
- Black 100%

Material type

Interior permanent

Part number

TBA



2.4 Penalty fare/lower window

Artwork reference

LUTV_INT_00029

Size

225 x 87mm

Position reference

D

Colours

- Corporate Blue (Pantone 072)

Material type

Exterior front fixing semi-permanent

Part number

00205/8629



2.5 Penalty fare (J door)

Artwork reference

LUTV_INT_00028

Size

225 x 50mm

Position reference

E

Colours

- Corporate Blue (Pantone 072)

Material type

Interior semi-permanent

Part number

00205/8628

£100 penalty fare or prosecution

if you fail to show on demand a ticket, validated smartcard
or other travel authority valid for the whole of your journey

2.6 Alarm located opposite

Artwork reference

LUTV_INT_00040J

Size

115 x 56mm

Position reference

F

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Part number

TBA



2.7 Alarm instructions (pull handle)

Artwork reference
LUTV_INT_00047

Size
100 x 140mm

Position reference
G

Colours
• Safety Red (Pantone 485)

Material type
Interior permanent

Part number
TBA



2.8 Alarm cover (pull handle)

Artwork reference

LUTV_INT_0005I

Size

100 x 50mm

Position reference

H

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Part number

TBA



2.9 Alarm instructions (push button - RVAR)

Artwork reference

LUTV_INT_00048

Size

100 x 140mm

Position reference

J

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Part number

TBA



2.10 Alarm cover (push button - RVAR)

Artwork reference

LUTV_INT_00052

Size

100 x 50mm

Position reference

K

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Part number

TBA



2.11 Emergency access combined

Artwork reference

LUTV_INT_00033

Size

225 x 164mm

Position reference

L

Colours

- Safety Red (Pantone 485)
- Black 100%

Material type

Interior permanent

Part number

TBA



2.12 Risk of death/emergency access

Artwork reference

LUTV_INT_00030

Size

70 x 275mm

Position reference

M

Colours

- Safety Red (Pantone 485)
- Safety Yellow (Pantone 116)
- Black 100%

Material type

Interior permanent

Part number

TBA



2.13 Priority area - wheelchairs

Artwork reference

LUTV_INT_00054

Size

120 x 170mm

Position reference

N

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA



2.14 Priority area (glass partition - single wheelchair bay)

Artwork reference

LUTV_INT_00055

Size

120 x 220mm

Position reference

○

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent - double-sided

Part number

TBA

Note

This is a double-sided sign with different artwork on each side.



Front
(Faces priority area)



Rear
(Faces seats)

2.15 Priority area - pushchairs

Artwork reference

LUTV_INT_00053

Size

120 x 170mm

Position reference

P

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA



2.16 Unattended bags

Artwork reference

LUTV_INT_0004I

Size

195 x 50mm

Position reference

Q

Colours

- Corporate Blue (Pantone 072)

Material type

Interior permanent - double-sided

Part number

TBA

Note

This is a double-sided sign with the same artwork on both sides.



Front



Rear

2.17 No smoking

Artwork reference

LUTV_INT_00039J

Size

104 x 138mm

Position reference

R

Colours

- Safety Red (Pantone 485)
- Black 100%

Material type

Interior permanent

Part number

TBA

Note

This notice does not have rounded corners because it sits in the line diagram panel.



2.18 No alcohol

Artwork reference

LUTV_INT_0008IJ

Size

104 x 138mm

Position reference

S

Colours

- Safety Red (Pantone 485)
- Black 100%

Material type

Interior permanent

Part number

TBA

Note

This notice does not have rounded corners because it sits in the line diagram panel.



2.19 CCTV cameras

Artwork reference

LUTV_INT_00034J

Size

283 x 138mm

Position reference

T

Colours

- Corporate Blue (Pantone 072)

Material type

Interior permanent

Part number

TBA

Note

This notice does not have rounded corners because it sits in the line diagram panel.



2.20 In an emergency

Artwork reference

LUTV_INT_00035J

Size

283 x 138mm

Position reference

U

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA

Note

This notice does not have rounded corners because it sits in the line diagram panel.



2.21 Unwell customers

Artwork reference

LUTV_INT_00079J

Size

283 x 138mm

Position reference

V

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA

Note

This notice does not have rounded corners because it sits in the line diagram panel.



2.22 Car line diagram

Artwork reference
LUTV_INT_00036J

Material type
Interior semi-permanent (special)

Size
1295 x 138mm

Part number
TBA

Position reference
W

Colours
• CMYK



Example only

Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

2.23 Central London Tube map

Artwork reference
LUTV_INT_00037J


Material type
Interior semi-permanent (special)

Size
723 x 265mm

Part number
TBA

Position reference
X

Colours
• CMYK



Example only
Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

2.24 Customer contact

Artwork reference

LUTV_INT_00080J

Size

130 x 337mm

Position reference

Y

Colours

- Corporate Blue (Pantone 072)

Material type

Interior semi-permanent

Part number

TBA

Note

This notice does not have rounded corners as it sits in the line diagram panel.

We'd like to hear from you

We value your feedback, suggestions and complaints which help to improve our service:

Web: tfl.gov.uk
Phone: 0343 222 1234*

To take your comments further, please contact London TravelWatch, the independent statutory watchdog for transport users in and around London.

Web: www.londontravelwatch.org.uk
Phone: 020 3176 2999

 Check your travel
tfl.gov.uk/travel-tools

 24-hour travel information
0343 222 1234*

*Network charges may apply. See tfl.gov.uk/terms for details.

Reporting a crime

We want everyone travelling on our network to feel safe. If you experience or witness a crime, feel threatened by another customer, or see something that doesn't feel right, text BTP on 61016 or call 0800 40 50 40. In an emergency call 999 or use the passenger alarm.

Staff assaults

Any form of violence, aggression, verbal or racial abuse against our staff is unacceptable.

We will always press for the strongest penalties for anyone who assaults our staff.

Example only

Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

2.25 Car reference numbers (white)

Artwork reference

LUTV_INT_00044J

Size

30mm cap height
(128pt NJ Font Medium)

Position reference

Z

Colours

- Corporate Blue (Pantone 072)

Material type

Interior permanent

Part number

TBA



Example only

Black background is shown for illustrative purposes only.

2.26 Door reference letters (blue)

Artwork reference

LUTV_INT_00042

Size

17mm Cap height
(70pt NJ Font Medium)

Position reference

In appropriate location on train interior
(20mm down from top door-frame
panel, 20mm in from door-frame panel).

Colours


- Corporate Blue (Pantone 072)

Material type

Interior permanent

Part number

TBA



2.27 Cant rail labels

Artwork reference

LUTV_INT_00045J

Size

17mm cap height
(70pt NJ Font Medium)

Position reference

In appropriate location on train interior.

Colours

- Corporate Blue (Pantone 072)

Material type

Interior permanent

Part number

TBA

BattlS

ComS

CS

DML

ICs

Examples only

Black background is shown for illustrative purposes only.

2.28 Ventilation text

Artwork reference
LUTV_INT_00046J

Size
8mm cap height
(34pt NJ Font Medium)

Position reference
In appropriate location on train interior.

Colours
• Corporate Blue (Pantone 072)

Material type
Interior permanent

Part number
TBA

◀ **Close** **Ventilation** **Open** ▶

2.29 Alarm located below (pull handle)

Artwork reference

LUTV_INT_00006J

Size

56 x 164mm

Position reference

A2

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Part number

TBA



2.30 Alarm located here

Work reference
INT_00007J

6mm

on reference

rs
Safety Red (Pantone 485)

ial type
or permanent

umber



2.31 Alarm located below (push button)

Artwork reference

LUTV_INT_00008J

Size

56 x 164mm

Position reference

C2

Colours


- Safety Red (Pantone 485)

Material type


Interior permanent

Part number

TBA



2.32 Position of interior notices - driver's DM car (side elevation)



2.32.1

- A Priority seat**
LUTV_INT_00002
Vertically - centred on panel above priority seat.
Horizontally - top of notice 50mm below top of car side window.
- B Obstructing doors/penalty fares**
LUTV_INT_00004
Vertically - centred above the door window.
Horizontally - bottom of notice 10mm above the door window.
- C Items trapped in doors**
LUTV_INT_00038
Vertically - centred on opening side of door panel.
Horizontally - top of notice 180mm below top of the door window.
- F Alarm located opposite**
LUTV_INT_00040J
Vertically - centred on narrow vertical panel.
Horizontally - top of notice in line with top of line diagram panel.
- G Alarm instructions (pull handle)**
LUTV_INT_00047
(By double doors)
Vertically - centred on panel.
Horizontally - top of notice 90mm below horizontal panel divide.
(By single door)
Vertically - centred beneath alarm.
Horizontally - 20mm below alarm.
- H Alarm cover (pull handle)**
LUTV_INT_0005I
Vertically - centred on the flat panel of the alarm.
Horizontally - centred on the flat panel of the alarm.
- P Priority area - pushchairs**
LUTV_INT_00053
Vertically - centred on panel.
Horizontally - bottom of notice 10mm above horizontal panel division line.
- R No smoking**
LUTV_INT_00039J
Placed as shown on the car line diagram panel.
- S No alcohol**
LUTV_INT_0008IJ
Placed as shown on the car line diagram panel.
- T CCTV cameras**
LUTV_INT_00034J
Placed as shown on the car line diagram panel.
- U In an emergency**
LUTV_INT_00035J
Placed as shown on the car line diagram panel.
- V Unwell customers**
LUTV_INT_00079J
Placed as shown on car line diagram panel.
- W Car line diagram**
LUTV_INT_00036J
Placed as shown on the car line diagram panel.

2.32.2

X Central London Tube map

LUTV_INT_00037J

Vertically - centred on the centre ad panel.

Horizontally - centred on the centre ad panel.

Y Customer contact

LUTV_INT_00080B

Vertically - centred on panel.

Horizontally - top of notice in line with top of line diagram panel.


A2 Alarm located below (pull handle)

LUTV_INT_00006J

Vertically - centred on narrow vertical panel.

Horizontally - top of notice in line with top of line diagram panel.

2.33 Position of interior notices - trailer car - non-RVAR (side elevation)



2.33.1

A Priority seat

LUTV_INT_00002

Vertically - centred on panel above priority seat.

Horizontally - top of notice 50mm below top of car side window.

B Obstructing doors/penalty fares

LUTV_INT_00004

Vertically - centred above the door window.

Horizontally - bottom of notice 10mm above the door window.

C Items trapped in doors

LUTV_INT_00038

Vertically - centred on opening side of the door panel.

Horizontally - top of notice 180mm below top of the door window.

F Alarm located opposite

LUTV_INT_00040J

Vertically - centred on narrow vertical panel.

Horizontally - top of notice in line with top of line diagram panel.

G Alarm instructions (pull handle)

LUTV_INT_00047

(By double doors)

Vertically - centred on panel.

Horizontally - top of notice 90mm below horizontal panel divide.

(By single door)

Vertically - centred beneath alarm.

Horizontally - 20mm below alarm.

H Alarm cover (pull handle)

LUTV_INT_00051

Vertically - centred on the flat panel of the alarm.

Horizontally - centred on the flat panel of the alarm.

P Priority area - pushchairs

LUTV_INT_00053

Vertically - centred on panel.

Horizontally - bottom of notice 10mm above horizontal panel division line.

R No smoking

LUTV_INT_00039J

Placed as shown on the car line diagram panel.

S No alcohol

LUTV_INT_00081J

Placed as shown on the car line diagram panel.

T CCTV cameras

LUTV_INT_00034J

Placed as shown on the car line diagram panel.

U In an emergency

LUTV_INT_00035J

Placed as shown on the car line diagram panel.

V Unwell customers

LUTV_INT_00079J

Placed as shown on the car line diagram panel.

W Car line diagram

LUTV_INT_00036J

Placed as shown on the car line diagram panel.

2.33.2

X Central London Tube map

LUTV_INT_00037J

Vertically - centred on the centre ad panel.

Horizontally - centred on the centre ad panel.

Y Customer contact

LUTV_INT_00080B

Vertically - centred on panel.

Horizontally - top of notice in line with top of line diagram panel.


A2 Alarm located below (pull handle)

LUTV_INT_00006J

Vertically - centred on narrow vertical panel.

Horizontally - top of notice in line with top of line diagram panel.

2.34 Position of interior notices - UNDM car (side elevation)



2.34.1

A Priority seat

LUTV_INT_00002

Vertically - centred on panel above priority seat.

Horizontally - top of notice 50mm below top of car side window.

B Obstructing doors/penalty fares

LUTV_INT_00004

Vertically - centred above door window.

Horizontally - bottom of notice 10mm above the door window.

C Items trapped in doors

LUTV_INT_00038

Vertically - centred on opening side of door panel.

Horizontally - top of notice 180mm below top of the door window.

F Alarm located opposite

LUTV_INT_00040J

Vertically - centred on narrow vertical panel.

Horizontally - top of notice in line with top of line diagram panel.

G Alarm instructions (pull handle)

LUTV_INT_00047

(By double doors)

Vertically - centred on panel.

Horizontally - top of notice 90mm below horizontal panel divide.

(By single door)

Vertically - centred beneath alarm

Horizontally - 20mm below alarm.

H Alarm cover (pull handle)

LUTV_INT_00051

Vertically - centred on the flat panel of alarm.

Horizontally - centred on the flat panel of the alarm.

P Priority area - pushchairs

LUTV_INT_00053

Vertically - centred on panel.

Horizontally - bottom of notice 10mm above horizontal panel division line.

R No smoking

LUTV_INT_00039J

Placed as shown on the car line diagram panel.

S No alcohol

LUTV_INT_00081J

Placed as shown on the car line diagram panel.

T CCTV cameras

LUTV_INT_00034J

Placed as shown on the car line diagram panel.

U In an emergency

LUTV_INT_00035J

Placed as shown on the car line diagram panel.

V Unwell customers

LUTV_INT_00079J

Placed as shown on the car line diagram panel.

W Car line diagram

LUTV_INT_00036J

Placed as shown on the car line diagram panel.

2.34.2

X Central London Tube map

LUTV_INT_00037J

Vertically - centred on the centre ad panel.

Horizontally - centred on the centre ad panel.

Y Customer contact

LUTV_INT_00080B

Vertically - centred on panel.

Horizontally - top of notice in line with top of line diagram panel.


A2 Alarm located below (pull handle)

LUTV_INT_00006J

Vertically - centred on narrow vertical panel.

Horizontally - top of notice in line with top of line diagram panel

2.35 Position of interior notices - accessible trailer car (side elevation)



2.35.1

- A Priority seat**
LUTV_INT_00002
Vertically - centred on panel above priority seat.
Horizontally - top of notice 50mm below top of car side window.
- B Obstructing doors/penalty fares**
LUTV_INT_00004
Vertically - centred above the door window.
Horizontally - bottom of notice 10mm above door window.
- C Items trapped in doors**
LUTV_INT_00038
Vertically - centred on opening side of door panel.
Horizontally - top of notice 180mm below top of door window.
- F Alarm located opposite**
LUTV_INT_00040J
Vertically - centred on narrow vertical panel.
Horizontally - top of notice in line with top of line diagram panel.
- G Alarm instructions (pull handle)**
LUTV_INT_00047
(By double doors)
Vertically - centred on panel.
Horizontally - top of notice 90mm below horizontal panel divide.
(By single door)
Vertically - centred beneath alarm
Horizontally - 20mm below alarm.
- H Alarm cover (pull handle)**
LUTV_INT_00051
Vertically - centred on the flat panel of the alarm.
Horizontally - centred on the flat panel of the alarm.
- J Alarm instructions (push button - RVAR)**
LUTV_INT_00048
Vertically - centred on panel.
Horizontally - top of notice 90mm below horizontal panel divide.
- K Alarm cover (push button - RVAR)**
LUTV_INT_00052
Vertically - centred on the flat panel of the alarm.
Horizontally - centred on the flat panel of the alarm.
- N Priority area - wheelchairs**
LUTV_INT_00054
Vertically - centred on panel.
Horizontally - bottom of notice 10mm above horizontal panel division line.
- P Priority area - pushchairs**
LUTV_INT_00053
Vertically - centred on panel.
Horizontally - bottom of notice 10mm above horizontal panel division line.
- R No smoking**
LUTV_INT_00039J
Placed as shown on the car line diagram panel.
- S No alcohol**
LUTV_INT_00081J
Placed as shown on the car line diagram panel.

2.35.2

T CCTV cameras

LUTV_INT_00034J

Placed as shown on the car line diagram panel.

U In an emergency

LUTV_INT_00035J

Placed as shown on the car line diagram panel.

V Unwell customers

LUTV_INT_00079J

Placed as shown on the car line diagram panel.

W Car line diagram

LUTV_INT_00036J

Placed as shown on the car line diagram panel.

X Central London Tube map

LUTV_INT_00037J

Vertically - centred on the centre ad panel.

Horizontally - centred on the centre ad panel.

Y Customer contact

LUTV_INT_00080B

Vertically - centred on panel.

Horizontally - top of notice in line with top of line diagram panel.

A2 Alarm located below (pull handle)

LUTV_INT_00006J

Vertically - centred on narrow vertical panel.

Horizontally - top of notice in line with top of line diagram panel.


C2 Alarm located below (push button)

LUTV_INT_00008J

Vertically - centred on narrow vertical panel.

Horizontally - top of notice in line with top of line diagram panel.

2.36 Position of interior notices - All cars (front elevations)



D Penalty fare/lower window

LUTV_INT_00029

Vertically - centred on windows of interconnecting doors.

Horizontally - 20mm below top of the window.

E Penalty fare (J door)

LUTV_INT_00028

Vertically - centred on J door.

Horizontally - 10mm below driver's door peep hole.

G Alarm instructions (pull handle)

LUTV_INT_00047

Vertically - centred beneath alarm.

Horizontally - 20mm below alarm.

H Alarm cover (pull handle)

LUTV_INT_00051

Vertically - centred on the flat panel of the alarm.

Horizontally - centred on the flat panel of the alarm.

L Emergency access combined notice

LUTV_INT_00033

Vertically - centred on J door.

Horizontally - Top of notice 60mm below top of door.

M Risk of death/emergency access

LUTV_INT_00030

Vertically - centred on right hand door panel.

Horizontally - Top of notice aligned with top of window.

O Priority area (glass partition - single wheelchair bay)

LUTV_INT_00055

Vertically - centred on glass screen in wheelchair bay area only.

Horizontally - centred on glass screen in wheelchair bay area only.

2.36.1

Q Unattended bags

LUTV_INT_0004I

Vertically - centred on all glass screens except in the wheelchair bay area.

Horizontally - Top of notice in line with bottom of advertising panel.

Z Car reference number (white)

LUTV_INT_00043

Vertically - centred above door.

Horizontally - centred between CCTV camera and bottom of panel.

B2 Alarm located here

LUTV_INT_0007J

Vertically - 190mm from left-hand panel edge.

Horizontally - centred between top of panel and top of window.

3 Car exterior notices

The following pages illustrate the graphic notices to be applied to the Jubilee line car exteriors (96 Tube stock).

3.1 Roundel

Artwork reference
LUTV_EXT_00001

Size
440mm width

Position reference
A

Colours

- Corporate Red (Pantone 485)
- Corporate Blue (Pantone 072)

Material type
Exterior permanent

Part number
616/4011



3.2 Obstructing doors/shark teeth (left)

Artwork reference
LUTV_EXT_00047A

Size
70 x 606mm

Position reference
B

Colours

- Safety Yellow (Pantone 116)
- Black 100%

Material type
Exterior permanent

Part number
00207/8662



3.3 Obstructing doors/shark teeth (right)

Artwork reference
LUTV_EXT_00047B

Size
70 x 606mm

Position reference
C

Colours

- Safety Yellow (Pantone 116)
- Black 100%

Material type
Exterior permanent

Part number
00207/8484



3.4 Wheelchair entry

Artwork reference
LUTV_EXT_00003

Size
130 x 150mm

Position reference
D

Colours
• Safety Blue (Pantone 300)

Material type
Exterior permanent

Part number
TBA



3.5 Car reference numbers

Artwork reference
LUTV_EXT_00004

Size
80mm cap height
(342pt NJ Font Medium)

Position reference
E

Colours
• Corporate Blue (Pantone 072)

Material type
Exterior permanent

Part number
TBA

11080

3.6 Door reference letters

Artwork reference

LUTV_EXT_00005

Size

17mm cap height
(70pt NJ Font Medium)

Position reference

In appropriate location on train door
(20mm down from top of door, 20mm in
from door edge).

Colours


White (red shown is for display purposes
only).

Material type

Exterior permanent

Part number

TBA



3.7 Front of train number

Artwork reference

LUTV_EXT_00006

Size

120mm cap height
(513pt NJ Font Medium)

Position reference

F

Colours

- White

Material type

Exterior permanent

Part number

TBA



3.8 De-icing circle (white)

Artwork reference

LUTV_EXT_00011J

Size

90mm diameter

Position reference

G

Colours


- White
(Grey shown is for illustrative purposes only)

Material type

Exterior permanent

Part number

TBA



Example only

Notice shown is for illustrative purposes only.

3.9 Caution - sliding doors

Artwork reference

LUTV_EXT_00007

Size

130 x 52mm

Position reference

G

Colours

- Safety Yellow (Pantone 116)
- Black 100%

Material type


Exterior permanent

Part number

TBA



3.10 Position of exterior notices - driver's DM car (side elevation)



3.10.1

A Roundel

LUTV_EXT_00001

Vertically - centred on white panel area below the two centre windows.
Horizontally - centred on the white panel area below the two centre windows.

B Obstructing doors/shark teeth (left)

LUTV_EXT_00047A

Vertically - against opening edge of inner panel of left opening car doors.
Horizontally - Top of notice aligns with top of black surround of car body window.

C Obstructing doors/shark teeth (right)

LUTV_EXT_00047B

Vertically - against opening edge of inner panel of right opening single door.
Horizontally - top of notice aligns with top of black surround of car body window.

E Car reference numbers

LUTV_EXT_00004


Vertically - centred beneath where two windows meet.
Horizontally - top of text 370mm below bottom of black surround of car body window.

G Caution - sliding door

LUTV_EXT_00007

Vertically - centred on wide outer panel of car doors.
Horizontally - top of notice aligns with top of black surround of car body window.

3.11 Position of exterior notices - trailer car - non-RVAR (side elevation)



3.11.1

A Roundel

LUTV_EXT_00001

Vertically - centred on white panel area below the two centre windows.
Horizontally - centred on the white panel area below the two centre windows.

B Obstructing doors/shark teeth (left)

LUTV_EXT_00047A

Vertically - against opening edge of inner panel of left opening car doors.
Horizontally - top of notice aligns with top of black surround of car body window.

C Obstructing doors/shark teeth (right)

LUTV_EXT_00047B

Vertically - against opening edge of the inner panel of right opening single door.
Horizontally - top of notice aligns with top of black surround of car body window.

E Car reference numbers

LUTV_EXT_00004


Vertically - centred beneath where two windows meet.
Horizontally - top of text 370mm below bottom of black surround of car body window.

G Caution - Sliding door

LUTV_EXT_00007

Vertically - centred on wide outer panel of car doors.
Horizontally - top of notice aligns with top of black surround of car body window.

3.12 Position of exterior notices - UNDM car (side elevation)



3.12.1

A Roundel

LUTV_EXT_00001

Vertically - centred on white panel area below the two centre windows.
Horizontally - centred on the white panel area below the two centre windows.

B Obstructing doors/shark teeth (left)

LUTV_EXT_00047A

Vertically - against opening edge of inner panel of left opening car doors.
Horizontally - top of notice aligns with top of black surround of car body window.

C Obstructing doors/shark teeth (right)

LUTV_EXT_00047B

Vertically - against opening edge of the inner panel of right opening single door.
Horizontally - top of notice aligns with top of black surround of car body window.

E Car reference numbers

LUTV_EXT_00004


Vertically - centred beneath where two windows meet.
Horizontally - top of text 370mm below bottom of black surround of car body window.

G Caution - sliding door

LUTV_EXT_00007

Vertically - centred on wide outer panel of car doors.
Horizontally - top of notice aligns with top of black surround of car body window.

3.13 Position of exterior notices - accessible trailer car (side elevation)



3.13.1

A Roundel

LUTV_EXT_00001

Vertically - centred on white panel area below the two centre windows.
Horizontally - centred on the white panel area below the two centre windows.

B Obstructing doors/shark teeth (left)

LUTV_EXT_00047A

Vertically - against opening edge of inner panel of left opening car doors.
Horizontally - top of notice aligns with top of black surround of car body window.

C Obstructing doors/shark teeth (right)

LUTV_EXT_00047B

Vertically - against opening edge of inner panel of right opening single door.
Horizontally - Top of notice aligns with top of black surround of car body window.

D Wheelchair access

LUTV_EXT_00003

Vertically - centred on wide outer panel of car doors.
Horizontally - bottom of notice in line with bottom of door window.

E Car reference numbers

LUTV_EXT_00004


Vertically - centred beneath where two windows meet.
Horizontally - top of text 370mm below bottom of black surround of car body window.

G Caution - sliding door

LUTV_EXT_00007

Vertically - centred on wide outer panel of car doors.
Horizontally - top of notice aligns with top of black surround of car body window.

3.14 Position of exterior notices - driver's DM car (front elevation)



F Front of train number

LUTV_INT_00006

Vertically - centred on left-hand side grey panel at foot of train.

Horizontally - centred on grey panel at foot of train.

G De-icing circle (white)

LUTV_EXT_00011J

Vertically - 25mm from last digit of front of train number.

Horizontally - 100mm from bottom of train.

Further information

This standard outlines basic principles and therefore cannot cover every application or eventuality.

If you have any questions on how to apply these rules, contact the TfL Graphics team.

Email: corporatedesign@tfl.gov.uk

Any changes to this document that affect the labelling on the vehicles will require a Change to Rolling Stock (CRS) to be raised, unless stated otherwise.

For further information, See S2I80 'Standard for Rolling Stock' section A3.4.I, guidance document GI100 and forms F5715 and F5716 f, and contact the Head of Rolling Stock Document Review (SMBHoRSDocumentRevie@tfl.gov.uk).

Issue 4

April 2024

© Transport for London

MSRV24_033 Jubilee line train graphics standard - Issue 04