

Waterloo & City line train graphics standard

Issue 2

1992 Tube stock

Contents

Foreword

1 Basic elements

2 Car interior notices

3 Car exterior notices

Further information

Foreword

This document details all interior and exterior notices that are to be applied to the London Underground Waterloo & City line fleet (92 Tube stock). Locations for the notices are also provided.

Approved artwork for each notice shown is available from the TfL Graphics team (corporatedesign@tfl.gov.uk). No other artwork is to be used.

Note

This document does not detail any driver cab notices.

Any changes to this document that affect the labelling on the vehicles will require a Change to Rolling Stock (CRS) to be raised, unless stated otherwise.

For further information, see S2I80 Standard for Rolling Stock, section A3.4.1, guidance document G1100 and forms F5715 and F5716 f, and contact the Head of Rolling Stock Document Review (SMBHoRSDocumentRevie@tfl.gov.uk).

I Basic elements

This section outlines the basic elements that are used to produce graphic notices for the London Underground fleet. This includes the use of the corporate typeface and colours.

For further information, see the design standards at tfl.gov.uk/corporatedesign

I.1 Typography

Our typeface is Johnston, which should be set in mixed upper and lower case.

New Johnston (NJ Font) Medium is the only typeface that should be used for train notices unless it is specifically stated otherwise.

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz

1234567890£/.,“()::;

New Johnston Medium

1.2 Colours

These colours should be used on the London Underground fleet to produce graphic notices.

The Pantone Matching System is to be used for print purposes.

Corporate Blue

Pantone 072

Safety Yellow

Pantone 116

Safety Red

Pantone 485

Safety Green

Pantone 356

Black

Black 100%

Safety Blue

Pantone 300

2 Car interior notices

The following pages illustrate the graphic notices that are to be applied to the Waterloo & City line car interiors (92 Tube stock).

2.1 Priority seat

Artwork reference

LUTV_INT_00002

Size

100 x 140mm

Position reference

A

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA



2.2 Obstructing doors/penalty fares (amount not shown)

Artwork reference

LUTV_INT_00004

Size

500 x 50mm

Position reference

B

Colours

- Corporate Blue (Pantone 072)
- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type

Interior permanent

Part number

00205/8627



**Obstructing the doors
can be dangerous**

Penalty fare or prosecution

if you fail to show on demand a ticket, validated smartcard
or other travel authority valid for the whole of your journey

2.3 Items trapped in doors

Artwork reference

LUTV_INT_00038

Size

74 x 265mm

Position reference

C

Colours


- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type

Interior permanent

Part number

TBA



2.4 Penalty fare/lower window

Artwork reference

LUTV_INT_00029

Size

225 x 87mm

Position reference

D

Colours

- Corporate Blue (Pantone 072)

Material type

Exterior front fixing semi-permanent

Part number

00205/8629



2.5 Penalty fare (J door)

Artwork reference

LUTV_INT_00028

Size

225 x 50mm

Position reference

E

Colours

- Corporate Blue (Pantone 072)

Material type

Interior semi-permanent

Part number

00205/8628

£80 penalty fare or prosecution

if you fail to show on demand a ticket, validated smartcard
or other travel authority valid for the whole of your journey

2.6 Alarm located opposite

Artwork reference

LUTV_INT_00040

Size

56 x 110mm

Position reference

F

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Part number

TBA



2.7 Alarm instructions (pull handle)

Artwork reference
LUTV_INT_00047

Size
100 x 140mm

Position reference
G

Colours
• Safety Red (Pantone 485)

Material type
Interior permanent

Part number
TBA



2.8 Alarm cover - pull handle

Artwork reference

LUTV_INT_0005I

Size

100 x 50mm

Position reference

H

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Part number

TBA



2.9 Alarm instructions (push button - RVAR)

Artwork reference
LUTV_INT_00048C

Size
100 x 152mm

Position reference
J

Colours
• Safety Red (Pantone 485)

Material type
Interior permanent

Part number
TBA


Note
This is a double-sided sign with black on the outward facing side.

This notice is still under discussion. It has not been finalised.

Awaiting installation of wheelchair bay area.



Front



Rear

2.10 Alarm cover - push button (RVAR)

Artwork reference

LUTV_INT_00052C

Size

100 x 50mm

Position reference

K

Colours

- Safety Red (Pantone 485)

Material type

Interior permanent

Part number

TBA

Note

This notice is still under discussion. It has not been finalised.

Awaiting installation of wheelchair bay area.



2.11 Emergency access combined

Artwork reference
LUTV_INT_00033

Size
225 x 164mm

Position reference
L

Colours

- Safety Red (Pantone 485)
- Black 100 per cent

Material type
Interior permanent

Part number
TBA



2.12 Risk of death/emergency access

Artwork reference

LUTV_INT_00030

Size

70 x 275mm

Position reference

M

Colours

- Safety Red (Pantone 485)
- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type

Interior permanent

Part number

TBA



2.13 Priority area - wheelchair (partition board)

Artwork reference

LUTV_INT_00055

Size

120 x 220mm

Position reference

N

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent - double sided

Part number

TBA

Note

Not to be used until the train is made wheelchair accessible.



2.14 Priority area - wheelchair

Artwork reference

LUTV_INT_00054

Size

120 x 203mm

Position reference

○

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA

Note

Not to be used until the train is made wheelchair accessible.



2.15 Priority area - pushchairs

Artwork reference

LUTV_INT_00053

Size

120 x 170mm

Position reference

○

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA

Note

Only to be used whilst the train is non-wheelchair accessible.

Once the train becomes wheelchair accessible, this notice is to be replaced by the 'priority area - wheelchair' notice (LUTV_INT_00054).



2.16 Unattended bags

Artwork reference

LUTV_INT_0004I

Size

195 x 50mm

Position reference

P

Colours

- Corporate Blue (Pantone 072)

Material type

Interior permanent - double sided

Part number

TBA

Note

This is a double-sided notice with the same artwork on both sides.



Front



Rear

2.17 No alcohol

Artwork reference

LUTV_INT_0008IC

Size

134 x 150mm

Position reference

Q

Colours

- Safety Red (Pantone 485)
- Black 100 per cent

Material type

Interior permanent

Part number

00212/1753

Note

This notice does not have rounded corners as it sits in the line diagram panel.



2.18 CCTV cameras

Artwork reference

LUTV_INT_00034C

Size

275 x 150mm

Position reference

S

Colours

- Corporate Blue (Pantone 072)

Material type

Interior permanent

Part number

TBA

Note

This notice does not have rounded corners as it sits in the line diagram panel.



2.19 In an emergency

Artwork reference

LUTV_INT_00035C

Size

275 x 150mm

Position reference

T

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA

Note

This notice does not have rounded corners as it sits in the line diagram panel.



2.20 Unwell customers

Artwork reference

LUTV_INT_00079C

Size

230 x 150mm

Position reference

U

Colours

- Safety Blue (Pantone 300)

Material type

Interior permanent

Part number

TBA

Note

This notice does not have rounded corners as it sits in the line diagram panel.



2.21 Car line diagram/no smoking/direction of travel (side 1)

Artwork reference

LUTV_INT_00036WC-01

Size

1262 x 150mm

Position reference

V

Colours

- CMYK

Material type

Interior semi-permanent (special)

Part number

TBA

Note

This notice does not have rounded corners as it sits in the line diagram panel.



Example only

Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

2.22 Car line diagram/no smoking/direction of travel (side 2)

Artwork reference

LUTV_INT_00036WC-02

Size

1262 x 150mm

Position reference

W

Colours

- CMYK

Material type

Interior semi-permanent (special)

Part number

TBA

Note

This notice does not have rounded corners as it sits in the line diagram panel.



Example only

Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

2.23 Central London Tube map

Artwork reference
LUTV_INT_00037C


Size
570 x 150mm

Position reference
X

Colours
• CMYK

Material type
Interior semi-permanent (special)

Part number
TBA



Example only
Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

2.24 Customer contact

Artwork reference

LUTV_INT_00080C

Size

356 x 150mm

Position reference

Y

Colours

- Corporate Blue (Pantone 072)

Material type

Interior semi-permanent

Part number

TBA

Note

This notice does not have rounded corners as it sits in the line diagram panel.

We'd like to hear from you

We value your feedback, suggestions and complaints which help to improve our service:

Web: tfl.gov.uk
Phone: 0343 222 1234*

To take your comments further, please contact London TravelWatch, the independent statutory watchdog for transport users in and around London.

Web: www.londontravelwatch.org.uk
Phone: 020 3176 2999

 Check your travel
tfl.gov.uk/travel-tools

 24-hour travel information
0343 222 1234*

*Network charges may apply. See tfl.gov.uk/terms for details.

Reporting a crime

We want everyone travelling on our network to feel safe. If you experience or witness a crime, feel threatened by another customer, or see something that doesn't feel right, text BTP on 61016 or call 0800 40 50 40. In an emergency call 999 or use the passenger alarm.

Staff assaults

Any form of violence, aggression, verbal or racial abuse against our staff is unacceptable.

We will always press for the strongest penalties for anyone who assaults our staff.

Example only

Notice shown is for illustrative purposes only. Ensure that the latest available TfL artwork is used. Changes to the content of this label do not require a Change to Rolling Stock.

2.25 Car reference numbers (blue)

Artwork reference

LUTV_INT_00043

Size

30mm Cap height
(128pt NJ Font Medium)

Position reference

R

Colours

- Corporate Blue (Pantone 072)

Material type

Interior permanent

Part number

TBA

5 1 5 0 1

Example only

Notice shown is for illustrative purposes only.

2.26 Please use the grab handle

Artwork reference
LUTV_INT_00082C

Size
130 x 65mm

Position reference
Z

Colours
• Safety Blue (Pantone 300)

Material type
Interior permanent

Part number
TBA

Note
This notice is designed to be placed on the original J-door opening mechanism.



2.27 How to gain emergency access

Artwork reference

LUTV_INT_00082WC

Size

117 x 154mm

Position reference

A2

Colours

- Safety Green (Pantone 356)
- Safety Red (Pantone 485)

Material type

Interior permanent

Part number

TBA

Note

This notice is designed to be placed next to the updated J-door opening mechanism.



2.28 Door reference letters (blue)

Artwork reference

LUTV_INT_00042

Size

16mm Cap height
(70pt NJ Font Medium)

Position reference

In appropriate location on train interior.
(20mm down from top door frame
panel, 20mm in from door frame panel)

Colours


- Corporate Blue (Pantone 072)

Material type

Interior permanent

Part number

TBA



Example only

Notice shown is for illustrative purposes only.

2.29 Cant rail labels

Artwork reference

LUTV_INT_00045C

Size

16mm Cap height
(70pt NJ Font Medium)

Position reference

In appropriate location on train interior.

Colours

- Corporate Blue (Pantone 072)

Material type

Interior permanent

Part number

TBA

CSIC

CSLC

DIC

DML

EPBIC

Example only

Notice shown is for illustrative purposes only.

2.30 Ventilator

Artwork reference
LUTV_INT_00046WC

Size
8mm Cap height
(34pt NJ Font Medium)

Position reference
In appropriate location on train interior.


Colours
• Corporate Blue (Pantone 072)

Material type
Interior permanent

Part number
TBA

Ventilator + -


2.31 Position of interior notices - car E - driver's DM car (side elevation)



2.31.1

- A Priority seat**
LUTV_INT_00002
Vertically - centred on panel above priority seat.
Horizontally - 300mm below ad panel above.
- B Obstructing doors/penalty fares**
LUTV_INT_00004
Vertically - centred above door window.
Horizontally - 20mm above door window.
- C Items trapped in doors**
LUTV_INT_00038
Vertically - centred on opening side of door panel.
Horizontally - 90mm below top of window.
- F Alarm located opposite**
LUTV_INT_00040
Vertically - centred on panel to left of door.
Horizontally - 100mm below line diagram panel.
- G Alarm instructions (pull handle)**
LUTV_INT_00047
Vertically - centred above alarm.
Horizontally - 20mm above alarm.
- H Alarm cover (pull handle)**
LUTV_INT_00051
Vertically - centred on flat panel of alarm device.
Horizontally - centred on flat panel of alarm device.
- Q No alcohol**
LUTV_INT_00081C-WC
Placed as shown on car line diagram panel.
- S CCTV cameras**
LUTV_INT_00034C-WC
Placed as shown on car line diagram panel.
- T In an emergency**
LUTV_INT_00035C-WC
Placed as shown on car line diagram panel.
- U Unwell customers**
LUTV_INT_00079C-WC
Placed as shown on car line diagram panel.
- V Car line diagram (side 1)**
LUTV_INT_00036WC-01
Placed as shown on car line diagram panel.
- W Car line diagram (side 2)**
LUTV_INT_00036WC-02
Placed as shown on car line diagram panel.
- X Central London Tube map**
LUTV_INT_00037C-WC
Placed as shown on car line diagram panel.
- Y Customer contact notice**
LUTV_INT_00080C-WC
Placed as shown on car line diagram panel.


2.32 Position of interior notices - car F - standard NDM car (side elevation)



2.32.1

- A Priority seat**
LUTV_INT_00002
Vertically - centred on panel above priority seat.
Horizontally - 300mm below ad panel above.
- B Obstructing doors/penalty fares**
LUTV_INT_00004
Vertically - centred above door window.
Horizontally - 20mm above door window.
- C Items trapped in doors**
LUTV_INT_00038
Vertically - centred on opening side of door panel.
Horizontally - 90mm below top of window.
- F Alarm located opposite**
LUTV_INT_00040
Vertically - centred on panel to left of door.
Horizontally - 100mm below line diagram panel.
- G Alarm instructions (pull handle)**
LUTV_INT_00047
Vertically - centred above alarm.
Horizontally - 20mm above alarm.
- H Alarm cover (pull handle)**
LUTV_INT_00051
Vertically - centred on flat panel of alarm device.
Horizontally - centred on flat panel of alarm device.
- Q No alcohol**
LUTV_INT_00081C-WC
Placed as shown on car line diagram panel.
- S CCTV cameras**
LUTV_INT_00034C-WC
Placed as shown on car line diagram panel.
- T In an emergency**
LUTV_INT_00035C-WC
Placed as shown on car line diagram panel.
- U Unwell customers**
LUTV_INT_00079C-WC
Placed as shown on car line diagram panel.
- V Car line diagram (side 1)**
LUTV_INT_00036WC-01
Placed as shown on car line diagram panel.
- W Car line diagram (side 2)**
LUTV_INT_00036WC-02
Placed as shown on car line diagram panel.
- X Central London Tube map**
LUTV_INT_00037C-WC
Placed as shown on car line diagram panel.
- Y Customer contact notice**
LUTV_INT_00080C-WC
Placed as shown on car line diagram panel.

2.33 Position of interior notices - car F (W) - accessible NDM car (side elevation)



2.33.1

- A Priority seat**
LUTV_INT_00002
Vertically - centred on panel above priority seat.
Horizontally - 300mm below ad panel above.
- B Obstructing doors/penalty fares**
LUTV_INT_00004
Vertically - centred above door window.
Horizontally - 20mm above door window.
- C Items trapped in doors**
LUTV_INT_00038
Vertically - centred on opening side of door panel.
Horizontally - 90mm below top of window.
- F Alarm located opposite**
LUTV_INT_00040
Vertically - centred on panel to left of door.
Horizontally - 100mm below line diagram panel.
- G Alarm instructions (pull handle)**
LUTV_INT_00047
Vertically - centred above alarm.
Horizontally - 20mm above alarm.
- H Alarm cover (pull handle)**
LUTV_INT_00051
Vertically - centred on flat panel of alarm device.
Horizontally - centred on flat panel of alarm device.
- J Alarm instructions (push button)**
LUTV_INT_00048
Vertically - TBA.
Horizontally -TBA.
- K Alarm cover (push button)**
LUTV_INT_00052
Vertically - TBA.
Horizontally - TBA.
- Q No alcohol**
LUTV_INT_00081C-WC
Placed as shown on car line diagram panel.
- R Priority area - pushchairs**
LUTV_INT_00053
Vertically - centred on panel.
Horizontally - 220mm below ad panel above.
- S CCTV cameras**
LUTV_INT_00034C-WC
Placed as shown on car line diagram panel.
- T In an emergency**
LUTV_INT_00035C-WC
Placed as shown on car line diagram panel.
- U Unwell customers**
LUTV_INT_00079C-WC
Placed as shown on car line diagram panel.
- V Car line diagram (side 1)**
LUTV_INT_00036WC-01
Placed as shown on car line diagram panel.
- W Car line diagram (side 2)**
LUTV_INT_00036WC-02
Placed as shown on car line diagram panel.

2.33.2

X Central London Tube map

LUTV_INT_00037C-WC


Placed as shown on car line diagram panel.

Y Customer contact notice

LUTV_INT_00080C-WC

Placed as shown on car line diagram panel.

2.34 Position of interior notices - all cars (front elevations)



D Penalty fare/lower window

LUTV_INT_00029

Vertically - centred on windows of interconnecting doors.
Horizontally - 100mm below top of window.

E Penalty fare (J door)

LUTV_INT_00028

Vertically - centred on J door.
Horizontally - 10mm below emergency access notice.

L Emergency access combined notice

LUTV_INT_00033

Vertically - centred on J door.
Horizontally - 100mm below top of door.

M Risk of death/emergency access

LUTV_INT_00030

Vertically - centred on left hand door panel.
Horizontally - aligned with top of window.

N Priority area - wheelchair (partition board)

LUTV_INT_00055

Vertically - centred on both sides of the partition board.
Horizontally - 40mm below top of partition board on both sides.

P Unattended bags

LUTV_INT_00041

Vertically - centred on all glass screens except in wheelchair bay area.
Horizontally - In line with priority seat notice (220mm below ad panel area).

2.34.1

R Car reference number (blue)

LUTV_INT_00043

Vertically - centred above door.

Horizontally - 50mm above door.

Z Please use the grab handle

LUTV_INT_00082C

For use on current J-door opening device

Vertically - centred on lower flat panel.

Horizontally - centred on lower flat panel.

A2 How to gain emergency access/ assistance from driver

LUTV_INT_00082WC

For use on new J-door opening device

Vertically - 10mm from door opening device.

Horizontally - centred on lower flat panel.

3 Car exterior notices

The following pages illustrate the graphic notices that are to be applied to the Waterloo & City line car exteriors (92 Tube stock).

3.1 Roundel

Artwork reference
LUTV_EXT_00001

Size
440mm width

Position reference
A

Colours

- Corporate Red (Pantone 485)
- Corporate Blue (Pantone 072)

Material type
Exterior permanent

Part number
TBA



3.2 Obstructing doors/shark teeth (left)

Artwork reference
LUTV_EXT_00047A

Size
70 x 606mm

Position reference
B

Colours

- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type
Exterior permanent

Part number
00207/8662



3.3 Obstructing doors/shark teeth (right)

Artwork reference
LUTV_EXT_00047B

Size
70 x 606mm

Position reference
C

Colours

- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type
Exterior permanent

Part number
00207/8484



3.4 Obstructing doors

Artwork reference
LUTV_EXT_00047CI

Size
70 x 200mm


Position reference
D

Colours

- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type
Exterior permanent

Part number
TBA



3.5 Shark teeth (right facing)

Artwork reference
LUTV_EXT_00047C2

Size
70 x 330mm


Position reference
E

Colours

- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type
Exterior permanent

Part number
TBA



3.6 Wheelchair entry

Artwork reference
LUTV_EXT_00003

Size
130 x 150mm

Position reference
F

Colours
• Safety Blue (Pantone 300)

Material type
Exterior permanent

Part number
TBA



3.7 Car reference numbers

Artwork reference

LUTV_EXT_00004

Size

80mm cap height
(342pt NJ Font Medium)

Position reference

G

Colours

- Corporate Blue (Pantone 072)

Material type

Exterior permanent

Part number

TBA

The image shows the car reference number '11080' in a large, bold, blue font. The first two characters are '11' and the last four are '080'. The font is a sans-serif typeface with a medium weight.

Example only

Notice shown is for illustrative purposes only.

3.8 Door reference letters

Artwork reference

LUTV_EXT_00005

Size

17mm
(70pt NJ Font Medium)

Position reference

In appropriate location on train door
(20mm down from top of door, 20mm in
from door edge).

Colours

- White
(Red shown is for illustrative
purposes only)

Material type

Exterior permanent

Part number

TBA



Example only

Notice shown is for illustrative purposes only.

3.9 Front of train number

Artwork reference

LUTV_EXT_00006

Size

120mm cap height
(513pt NJ Font Medium)

Position reference

J

Colours

- White
(Red shown is for illustrative purposes only)

Material type

Exterior permanent

Part number

TBA



Example only

Notice shown is for illustrative purposes only.

3.10 Sliding doors

Artwork reference
LUTV_EXT_00007

Size
130 x 52mm

Position reference
K

Colours


- Safety Yellow (Pantone 116)
- Black 100 per cent

Material type
Exterior permanent

Part number
TBA



3.11 Position of exterior notices - car E - driver's DM car (side elevation)



3.11.1

A Roundel

LUTV_EXT_00001

Vertically - centred with window.
Horizontally - centred between
bottom of window and top of blue
band.

B Obstructing doors/shark teeth (left)

LUTV_EXT_00047A

Vertically - against opening edge of
inner panel of left opening car doors.
Horizontally - top of notice is 780mm
from bottom of the door window.

D Obstructing doors

LUTV_EXT_00047CI

Vertically - against opening edge of
inner panel of right side double car
doors.
Horizontally - top of notice sits
above the door opening button and
aligns with the top of the left-hand
side obstructing doors/shark teeth
notice.

E Shark teeth (right)

LUTV_EXT_00047C2

Vertically - against opening edge of
inner panel of right side car doors
with door opening button.
Horizontally - bottom of notice sits
below the door opening button and
aligns with the bottom of the left-
hand side obstructing doors/shark
teeth notice.

G Car reference numbers

LUTV_EXT_00004


Vertically - in line with window edge.
Horizontally - top of text 170mm
from bottom of window.

K Caution - sliding door

LUTV_EXT_00007

Vertically - centred on wide outer
panel of car doors.
Horizontally - top of notice is 780mm
from bottom of door window.

3.12 Position of exterior notices - car F - standard NDM car (side elevation)



3.12.1

A Roundel

LUTV_EXT_00001

Vertically - centred with window.
Horizontally - centred between bottom of window and top of blue band.

B Obstructing doors/shark teeth (left)

LUTV_EXT_00047A

Vertically - against opening edge of inner panel of left opening car doors.
Horizontally - top of notice is 780mm from bottom of the door window.

C Obstructing doors/shark teeth (right)

LUTV_EXT_00047B

Vertically - against opening edge of inner panel of right opening single door.
Horizontally - top of notice is 780mm from bottom of the door window.

D Obstructing doors

LUTV_EXT_00047CI

Vertically - against opening edge of inner panel of right side double car doors.
Horizontally - top of notice sits above the door opening button and aligns with the top of the left-hand side obstructing doors/shark teeth notice.

E Shark teeth (right)

LUTV_EXT_00047C2

Vertically - against opening edge of inner panel of right side car doors with door opening button.
Horizontally - bottom of notice sits below the door opening button and aligns with the bottom of the left-hand side obstructing doors/shark teeth notice.

G Car reference numbers

LUTV_EXT_00004


Vertically - in line with window edge.
Horizontally - top of text 170mm from bottom of window.

K Caution - sliding door

LUTV_EXT_00007

Vertically - centred on wide outer panel of car doors.
Horizontally - top of notice is 780mm from bottom of door window.

3.13 Position of exterior notices - car F (W) - accessible NDM car (side elevation)



3.13.1

A Roundel

LUTV_EXT_0000I

Vertically - centred with window.
Horizontally - centred between bottom of window and top of blue band.

B Obstructing doors/shark teeth (left)

LUTV_EXT_00047A

Vertically - against opening edge of inner panel of left opening car doors.
Horizontally - top of notice is 780mm from bottom of the door window.

C Obstructing doors/shark teeth (right)

LUTV_EXT_00047B

Vertically - against opening edge of inner panel of right opening single door.
Horizontally - top of notice is 780mm from bottom of the door window.

D Obstructing doors

LUTV_EXT_00047CI

Vertically - against opening edge of inner panel of right side double car doors.

Horizontally - top of notice sits above the door opening button and aligns with the top of the left-hand side obstructing doors/shark teeth notice.

E Shark teeth (right)

LUTV_EXT_00047C2

Vertically - against opening edge of inner panel of right side car doors with door opening button.
Horizontally - bottom of notice sits below the door opening button and aligns with the bottom of the left-hand side obstructing doors/shark teeth notice.

F Wheelchair entry

LUTV_EXT_00003

Vertically - centred on wide outer panel of car doors.
Horizontally - bottom of notice aligns with bottom of car body window (210mm from bottom of door window).

G Car reference numbers

LUTV_EXT_00004


Vertically - in line with window edge.
Horizontally - top of text 170mm from bottom of window.

K Caution - sliding door

LUTV_EXT_00007

Vertically - centred on wide outer panel of car doors.
Horizontally - top of notice is 780mm from bottom of door window.

3.14 Position of exterior notices - car E - driver's DM car (front elevation)



J Front of train number

LUTV_INT_00006

Vertically - aligned with left edge of inner light panel.

Horizontally - centred on red panel

Further information

This standard outlines basic principles and therefore cannot cover every application or eventuality.

If you have any questions on how to apply these rules, contact the TfL Graphics team.

Email: corporatedesign@tfl.gov.uk

Any changes to this document that affect the labelling on the vehicles will require a Change to Rolling Stock (CRS) to be raised, unless stated otherwise.

For further information, see S2I80 'Standard for Rolling Stock' section A3.4.I, guidance document GI100 and forms F5715 and F5716 f, and contact the Head of Rolling Stock Document Review (SMBHoRSDocumentRevie@tfl.gov.uk).

Issue 2

October 2021

© Transport for London

MSRV20_05I Waterloo and City line train graphics standard - Issue 02